



CHUANGWEI ELECTRIC TOOLS MANUFACTURE CO., LTD.

ADD: LIEQIAO AREA , YONGKANG, ZHEJIANG, CHINA.

<http://www.cncwe.com>

M.T: +86 13605894271 +86 13905894271
+86 18257480164 +86 13605891892
Tel: +86-0579-87580502
Fax: +86-0579-87581317

E-mail: cncwe@cncwe.com
sitc-sales3@cncwe.com
sean@haoweitools.cn
sales03@haoweitools.cn





HAOWEI
WE OUTSHINE THE REST



Brief introduction

We started our business in 1990, which professionally research develop and manufacture power tools. With advanced R&D equipment and many experience of producing motor, adopting the latest technologies, our experienced staff members take responsibility for developing HAOWEI brand new products ceaselessly to meet buyers' demands.

All of our products are exported to Europe, American and Southeast Asia, etc. Some of our products have got the certification "ISO9001, GS, EMC, CE, ROHS".

We sincerely welcome new and old customers to cooperate with us, and we promise to do our best to satisfy our customers' needs.





DP Series

Dual action polisher



Suitable for polishing in various environments
 Front cover for comfortable and safe handling
 The tool can be easily used by unskilled operations
 Random orbital movement reduces the overall polishing time



Eccentric, with positive-action drive



Good removal rate
 No hologram formation
 Ideal for removing scratches and for finishing
 Wide range of applications

Eccentric, free running



Suitable for all types of user
 Easy handling
 No hologram formation
 Low removal rate
 Perfect for finishing

Eccentric



Split eccentric block



One-piece eccentric block



One-piece eccentric block with wind guide



75mm DUAL ACTION POLISHER

Double shot rubber grip

Wheel speed level

Double shot rubber grip



Backing plate guard

Easy carbon brush replacement

Heat sink with filter

Trigger lock

75mm DUAL ACTION POLISHER DP9511

- Choice of , power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operations
- Random orbital movement reduces the overall polishing time




DP9511

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	750W	6.5A
Ø backing pad:	75/125mm	3" / 5"

No-load speed:	3000-6400r/min
Ø orbit:	9mm
weight:	2.9kgs
size:	41.4x15x14cm
carton size:	43x32x30cm/4pcs
N.W./G.W.:	12kgs/13kgs

Accessories

1pc polishing pad	1pair carbon brush
1pc auxiliary handle	1pc sponge pad
1pc wrench	



150mm DUAL ACTION POLISHER DP9512

- Choice of , power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operations
- Random orbital movement reduces the overall polishing time



DP9512

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	950W	8.5A
Ø backing pad:	150mm	6"

No-load speed:	3000-5800r/min
Ø orbit:	9mm
weight:	3.1kgs
size:	50.5x15x15cm
carton size:	52x31 x33cm/4pcs
N.W./G.W.:	12.5KG/13KG

Accessories

1pc polishing pad	1pair carbon brush
1pc auxiliary handle	1pc sponge pad
1pc wrench	





125/150mm DUAL ACTION POLISHER



Easy carbon brush replacement

Backing plate guard

125/150mm DUAL ACTION POLISHER DP9519

- Choice of , power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operations
- Random orbital movement reduces the overall polishing time



DP9519

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1000W	8A
Ø backing pad:	125/150mm	5" / 6"
No-load speed:	2000-4800r/min	
Ø orbit:	15/21mm	
weight:	3.0kgs	
size:	47.5x15.5x16.5cm	
carton size:	49x33x35cm/4pcs	
N.W./G.W.:	12/13kgs	

Accessories

- | | |
|----------------------|--------------------|
| 1pc polishing pad | 1pc wrench |
| 1pc auxiliary handle | 1pair carbon brush |
| 1pc D-style handle | 1pc sponge pad |



125/150mm DUAL ACTION POLISHER DP9519-S

- Choice of , power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operations
- Random orbital movement reduces the overall polishing time



DP9519-S

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1000W	8A
Ø backing pad:	125/150mm	5" / 6"
No-load speed:	2000-4800r/min	
Ø orbit:	15/21mm	
weight:	3.0kgs	
size:	47.5x15.5x16.5cm	
carton size:	49x33x35cm/4pcs	
N.W./G.W.:	12/13kgs	

Accessories

- | | |
|----------------------|--------------------|
| 1pc polishing pad | 1pc wrench |
| 1pc auxiliary handle | 1pair carbon brush |
| 1pc D-style handle | 1pc sponge pad |



125/150mm DUAL ACTION POLISHER DP9523

- Choice of... power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operators
- Random orbital movement reduces the overall polishing time



DP9523

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1000W	8A
Ø backing pad:	125/150mm	5" / 5"
No-load speed:	2000-4600r/min	
Ø orbit:	15/21mm	
weight:	3.0kgs	
size:	47.5x15.5x16.5cm	
carton size:	49x33x35cm/4pcs	
N.W./G.W.:	12/13kgs	

Accessories

1pc polishing pad	1pc wrench
1pc auxiliary handle	1pair carbon brush
1pc D-style handle	1pc sponge pad



150mm DUAL ACTION POLISHER DP503

- Choice of... power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operators
- Random orbital movement reduces the overall polishing time



DP503

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	950W	10A
Ø backing pad:	150mm	6"
No-load speed:	2000-6400r/min	
Ø orbit:	21mm	
weight:	3.0kgs	
size:	44x16x16.5cm	
carton size:	45x33.5x35cm/4pcs	
N.W./G.W.:	12/13kgs	

Accessories

1pc polishing pad	1pc wrench
1pc auxiliary handle	1pair carbon brush
1pc D-style handle	1pc sponge pad



DP9517 75mm DUAL ACTION POLISHER

- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operators
- Random orbital movement reduces the overall polishing time

75mm DUAL ACTION POLISHER DP9517

- Choice of... power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operators
- Random orbital movement reduces the overall polishing time



125/150mm DUAL ACTION POLISHER DP9518

- Choice of... power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operators
- Random orbital movement reduces the overall polishing time



150mm DUAL ACTION POLISHER DP501

- Choice of... power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operators
- Random orbital movement reduces the overall polishing time



150mm DUAL ACTION POLISHER DP502

- Choice of... power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operators
- Random orbital movement reduces the overall polishing time



DP9517

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	750W	6.5A
Ø backing pad:	75mm	3"
No-load speed:	2000-5500r/min	
Ø orbit:	12mm	
weight:	2.3kgs	
size:	37x15.5x15.5cm	
carton size:	47.5x38x33cm/6pcs	
N.W./G.W.:	14/15kgs	

Accessories

- 1pc polishing pad
- 1pc wrench
- 1pc auxiliary handle
- 1pair carbon brush
- 1pc D-style handle
- 1pc sponge pad



DP9518

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	750W	6.5A
Ø backing pad:	125/150mm	5" / 6"
No-load speed:	2000-6400r/min	
Ø orbit:	9mm	
weight:	2.3kgs	
size:	37x15.5x15.5cm	
carton size:	47.5x38x33cm/6pcs	
N.W./G.W.:	14/15kgs	

Accessories

- 1pc polishing pad
- 1pc wrench
- 1pc auxiliary handle
- 1pair carbon brush
- 1pc D-style handle
- 1pc sponge pad



DP501

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	900W	7.5A
Ø backing pad:	150mm	6"
No-load speed:	2000-4800r/min	
Ø orbit:	21mm	
weight:	2.6kgs	
size:	37x15.5x15.5cm	
carton size:	63.5x38x33cm/6pcs	
N.W./G.W.:	21/22kgs	

Accessories

- 1pc polishing pad
- 1pc wrench
- 1pc auxiliary handle
- 1pair carbon brush
- 1pc D-style handle
- 1pc sponge pad




DP502

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	900W	7.5A
Ø backing pad:	150mm	6"
No-load speed:	2000-6400r/min	
Ø orbit:	9mm	
weight:	2.6kgs	
size:	37x15.5x15.5cm	
carton size:	47.5x38x33cm/6pcs	
N.W./G.W.:	21/22kgs	

Accessories

- 1pc polishing pad
- 1pc wrench
- 1pc auxiliary handle
- 1pair carbon brush
- 1pc D-style handle
- 1pc sponge pad





125/150mm DUAL ACTION POLISHER DP506




DP506

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	650W	5A
Ø backing pad:	125/150mm	5" / 6"
No-load speed:	2000-6400r/min	
Ø orbit:	9mm	
weight:	2.0kgs	
size:	33x9x11cm	
carton size:	37.5x34x24cm/8pcs	
N.W./G.W.:	1.6/1.7kgs	

Accessories

1pc polishing pad	1pc wrench
1pc auxiliary handle	1pair carbon brush
1pc D-style handle	1pc sponge pad



50/75mm DUAL ACTION POLISHER DP507

- Choice of , power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operations.
- Random orbital movement reduces the overall polishing time



DP507

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	750W	6.5A
Ø backing pad:	50/75mm	2" / 3"
No-load speed:	2000-6400r/min	
Ø orbit:	9mm	
weight:	2.1kgs	
size:	33x16x12.5cm	
carton size:	35x33x37.5cm/6pcs	
N.W./G.W.:	1.2kgs/1.3kgs	

Accessories

1pc polishing pad	1pair carbon brush
1pc auxiliary handle	1pc sponge pad
1pc wrench	



50/75mm DUAL ACTION POLISHER DP507-S

- Choice of , power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operations.
- Random orbital movement reduces the overall polishing time



DP507-S

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	750W	6.5A
Ø backing pad:	50/75mm	2" / 3"
No-load speed:	2000-6400r/min	
Ø orbit:	9mm	
weight:	2.1KGS	
size:	38x16x12.5cm/6	
carton size:	39x33x37.5cm/6pcs	
N.W./G.W.:	1.2kgs/1.3kgs	

Accessories

1pc polishing pad	1pair carbon brush
1pc auxiliary handle	1pc sponge pad
1pc wrench	



75mm DUAL ACTION POLISHER DP9515

- Choice of 2 power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operations
- Random orbital movement reduces the overall polishing time



150mm DUAL ACTION POLISHER DP9516

- Choice of 2 power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operations
- Random orbital movement reduces the overall polishing time



95mmx2 DUAL ACTION POLISHER DP505

- Variable speed control
- Both heads move in an orbital motion to simulate hand polishing but at a much faster rate
- Dual heads provide a balanced polish every time
- NO need to press the polisher flat on the paint
- Cover more ground than a single-head polisher
- Operation with no former blemish at the paint
- No danger of nicking the paint with the edge of a backing plate
- Provides an even, flawless polish
- The tool can be easily used by unskilled operations



125/150mm BRUSHLESS DC DUAL ACTION POLISHER LXD001

- Speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used by unskilled operations
- Random orbital movement reduces the overall polishing time
- Get rid of the Rubber cable, more free and convenient



DP9515

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	750W	6.5A
Ø backing pad:	75mm	3"
No-load speed:	2000-6400r/min	
Ø orbit:	9mm	
weight:	2.9kgs	
size:	41.4x15x14cm	
carton size:	43x32x30cm/4pcs	
N.W./G.W.:	12kgs/13kgs	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc wrench
- 1pair carbon brush
- 1pc sponge pad



DP9516

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	950W	8.5A
Ø backing pad:	150mm	6"
No-load speed:	3000-5800r/min	
Ø orbit:	9mm	
weight:	3.1kgs	
size:	50.5x15x15cm	
carton size:	52x31x33cm/4pcs	
N.W./G.W.:	12.5KGS/13KGS	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc wrench
- 1pair carbon brush
- 1pc sponge pad



DP505

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	480W	3A
Ø backing pad:	95mmx2	4" x 2"
No-load speed:	1600-3500r/min	
Ø orbit:	15mm	
weight:	3.0kgs	
size:	39x21x18cm	
carton size:	45x43x40cm/4pcs	
N.W./G.W.:	13/14kgs	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc wrench
- 1pair carbon brush
- 1pc sponge pad



LXD001

	220-240V	110-120V
Input Power:	18W	4A
Ø Backing Pad:	150mm	6"
No-Load Speed:	2000-5500rpm	
Weight:	3.2kgs	
Product Size:	43 x 20.5 x 18.5cm	
Carton Size:	44.5 x 43 x 39cm/4pcs	
N.W./G.W.:	13/14kgs	

Accessories

- 1pc canvas bag
- 1pc 150mm backing pad
- 1pc auxiliary handle
- 1pc sponge pad
- 1pc battery
- 1pc D-style handle
- 1pc wrench
- 1pair carbon brush
- 1pair quick charger (60mins charging time)



PS Series POLISHER



Drive

Rotary



Properties

Highest removal rate
Rotary polishers belong in experienced hands
Quickest way to remove scratches
Hologram formation possible

Eccentric

Good removal rate
No hologram formation



25/50/75mm POLISHER PS9520X-S

- Choice of , power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip on housing
- Side handle reversible right-left
- Front cover for comfortable and safe handling
- The tool can be easily used on narrow area
- Random orbital movement reduces the overall polishing time



150mm POLISHER PS9520X

- Choice of variable speed, power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip handle
- D-style auxiliary handle
- Front cover for comfortable and safe handling
- Used for large area polishing operations



PS9520X-S DP-HP501-150S

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	750W	6.5A
Ø backing pad:	25/50/75mm	1 1/2" / 3"
No-load speed:	800-2800r/min	
weight:	2.0kgs	
size:	37x18.5x15.5cm	
carton size:	47.5x38x33cm/6pcs	
N.W./G.W.:	12/13kgs	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc D-style handle
- 1pc hex key
- 1pair carbon brush
- 1pc wool polishing bmet



PS9520X DP-HP501-150S

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	750W	6.5A
Ø backing pad:	150mm	6"
No-load speed:	800-2800r/min	
weight:	2.0kgs	
size:	37x15.5x15.5cm	
carton size:	47.5x38x33cm/6pcs	
N.W./G.W.:	12/13kgs	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc D-style handle
- 1pc hex key
- 1pair carbon brush
- 1pc wool polishing bmet





150/180mm POLISHER PS9521X

- Choice of variable speed, power constant and speed constant
- Spindle lock button
- Lock on switch
- Soft grip handle
- D-style auxiliary handle
- Front cover for comfortable and safe handling
- Used for large area polishing operations

150/180mm POLISHER PS9522

- Choice of variable speed, power constant and speed constant
- Spindle lock button
- Lock on switch
- Soft grip handle
- D-style auxiliary handle
- Front cover for comfortable and safe handling
- Used for large area polishing operations



PS9520X-S

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1200W	10A
Ø backing pad:	150/180mm	6" / 7"
No-load speed:	450-1950r/min	
weight:	2.7kgs	
size:	43x14x15cm	
carton size:	44x42.5x32/6pcs	
N.W./G.W.:	16/17kgs	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc D-style handle
- 1pc hex key
- 1pair carbon brush
- 1pc wool polishing brnet



PS9522

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1200W	10A
Ø backing pad:	150/180mm	6" / 7"
No-load speed:	450-1950r/min	
weight:	2.7kgs	
size:	43x14x15cm	
carton size:	44x42.5x32/6pcs	
N.W./G.W.:	16/17kgs	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc D-style handle
- 1pc hex key
- 1pair carbon brush
- 1pc wool polishing brnet



PS9521X

150/180mm POLISHER

- Side handle reversible right-left
- Front cover for comfortable and safe handling
- Highest removal rate
- Rotary polishers belong in experienced hands



180mm POLISHER

PS508

- = Choice of variable speed, power constant and speed constant
- = Spindle lock button
- = Lock-on switch
- = Soft grip handle
- = D-style auxiliary handle
- = Front cover for comfortable and safe handling
- = Used for large area polishing operations



180mm POLISHER

PS509

- = Choice of variable speed, power constant and speed constant
- = Spindle lock button
- = Lock-on switch
- = Soft grip handle
- = D-style auxiliary handle
- = Used for large area polishing operations



PS508

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1200W	10A
Ø backing pad:	180mm	7"
No-load speed:	1000-3000r/min	
weight:	2.7kgs	
size:	43x14x15cm	
carton size:	44x42.5x32cm/6pcs	
N.W./G.W.:	16/17kgs	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc D-style handle
- 1pc hex key
- 1pair carbon brush
- 1pc wool polishing bnet



PS509

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1200W	10A
Ø backing pad:	180mm	7"
No-load speed:	1000-3000r/min	
weight:	2.7kgs	
size:	43x14x15cm	
carton size:	44x42.5x32cm/6pcs	
N.W./G.W.:	16/17kgs	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc D-style handle
- 1pc hex key
- 1pair carbon brush
- 1pc wool polishing bnet



180mm POLISHER


PS510

PS510

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1500W	12.5A
Ø backing pad:	180mm	7"
No-load speed:	1000-3000r/min	
weight:	3.2kgs	
size:	47x17x13.5cm	
carton size:	49x36x28.5cm/4pcs	
N.W./G.W.:	13/14kgs	

Accessories

- 1pc polishing pad
- 1pc auxiliary handle
- 1pc D-style handle
- 1pc hex key
- 1pair carbon brush
- 1pc wool polishing bnet



180mm POLISHER PS511

- Choice of variable speed, power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip handle
- D-style auxiliary handle
- Used for large area polishing operations



125/180mm POLISHER PS516P

- Choice of variable speed, power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip handle
- D-style auxiliary handle
- Used for large area polishing operations



125/150mm POLISHER PS516

- Choice of variable speed, power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip handle
- D-style auxiliary handle
- Used for large area polishing operations



180mm POLISHER PS518

- Choice of variable speed, power constant and speed constant
- Spindle lock button
- Lock-on switch
- Soft grip handle
- D-style auxiliary handle
- Front cover for comfortable and safe handling
- Used for large area polishing operations



PS511

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1500W	12.5A
Ø backing pad:	180mm	7"
No-load speed:	1000-3000r/min	
weight:	3.2kgs	
size:	47x17x13.5cm	
carton size:	49x36x28.5cm/4pcs	
N.W./G.W.:	13/14kgs	

Accessories

- 1pc polishing pad
- 1pc hex key
- 1pc auxiliary handle
- 1pair carbon brush
- 1pc D-style handle
- 1pc wool polishing bnnet



PS516P

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1200W	10A
Ø backing pad:	150/180mm	6"/7"
No-load speed:	1600-3500r/min	
weight:	2.5kgs	
size:	38x13x11cm	
carton size:	39x41x24cm/6pcs	
N.W./G.W.:	13/14kgs	

Accessories

- 1pc polishing pad
- 1pc hex key
- 1pc auxiliary handle
- 1pair carbon brush
- 1pc D-style handle
- 1pc wool polishing bnnet



PS516

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	950W	8A
Ø backing pad:	125/150mm	5"/6"
No-load speed:	1600-4200r/min	
weight:	2.5kgs	
size:	38x13x11cm	
carton size:	39x41x24cm/6pcs	
N.W./G.W.:	13/14kgs	

Accessories

- 1pc polishing pad
- 1pc hex key
- 1pc auxiliary handle
- 1pair carbon brush
- 1pc D-style handle
- 1pc wool polishing bnnet



PS518

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1500W	12.5A
Ø backing pad:	180mm	7"
No-load speed:	1000-3000r/min	
weight:	3.2kgs	
size:	47x17x13.5cm	
carton size:	49x36x28.5cm/4pcs	
N.W./G.W.:	13/14kgs	

Accessories

- 1pc polishing pad
- 1pc hex key
- 1pc auxiliary handle
- 1pair carbon brush
- 1pc D-style handle
- 1pc wool polishing bnnet



ANGLE GRINDER



For steel, stone, wood, plastic and other materials processing
Different power can be used in different scenarios
Various sizes of grinding wheels can be customized
Simple, safe and efficient cutting



115/125mm ANGLE GRINDER AGS8510

- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGS8510

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1100W	16A
Disc diameter:	115/125mm	4-1/2" / 5"
No-load speed:	0-11000r/min	
weight:	2.2kgs	
size:	34x12x11cm	
carton size:	39.5x37x25cm/6pcs	
N.W./G.W.:	13/14KGS	

Accessories

- 1pc auxiliary handle
- 1pc carbon brush
- 1pc hex key
- 1pc wrench



115/125mm ANGLE GRINDER AGS8511

- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGS8511

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	1400W	11.5A
Disc diameter:	115/125mm	4-1/2" / 5"
No-load speed:	3000-9500rpm	
weight:	2.3kgs	
size:	32x14.5x11.5cm	
carton size:	39x32.5x25cm/6pcs	
N.W./G.W.:	15/16KGS	

Accessories

- 1pc auxiliary handle
- 1pair carbon brush
- 1pc hex key
- 1pc wrench



115/125mm ANGLE GRINDER AGS521

- Spindle lock button
- Lock-on switch
- Soft grip on housing




AGS521

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	950W	7.5A
Disc diameter:	115/125mm	4-1/2" / 5"
No-load speed:	0-11000r/min	
weight:	2.2kgs	
size:	32x14.5x11.5cm	
carton size:	39x32.5x25cm/6pcs	
N.W./G.W.:	13/14KGS	

Accessories

- 1pc auxiliary handle
- 1pair carbon brush
- 1pc hex key
- 1pc wrench



115/125mm ANGLE GRINDER AGS526

- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGS526 SIM-HP501-150

	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	500W	4A
Disc diameter:	115/125mm	4-1/2" / 5"
No-load speed:	0-11000r/min	
weight:	2kgs	
size:	32x12.5x12cm	
carton size:	52x32x25cm/8pcs	
N.W./G.W.:	14/16.5KGS	

Accessories

- 1pc auxiliary handle
- 1pair carbon brush
- 1pc hex key
- 1pc wrench



115/125mm ANGLE GRINDER AGS528

- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGS528 SIM-HP501-150H		SIM-HP501-150S	
Frequency:	220-240V	110-120V	
Input power:	50/60Hz	50/60Hz	
Disc diameter:	800W	6.5A	
	115/125mm	4-1/2" / 5"	
No-load speed:	11000r/min		
weight:	2kg		
size:	33.4x10x14cm		
carton size:	52x35x25cm/8pcs		
N.W./G.W.:	16/17KG5		
Accessories			
1pc auxiliary handle	1pair carbon brush		
1pc hex key	1pc wrench		

115/125mm ANGLE GRINDER AGS18

- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGS18 SIM-HP501-150H		SIM-HP501-150S	
Frequency:	220-240V	110-120V	
Input power:	50/60Hz	50/60Hz	
Disc diameter:	800W	6.5A	
	115/125mm	4-1/2" / 5"	
No-load speed:	8-11000r/min		
weight:	2.3kgs		
size:	28.8x12.5x12cm		
carton size:	52.5x30.5x24.5cm/8pcs		
N.W./G.W.:	18/19KG5		
Accessories			
1pc auxiliary handle	1pair carbon brush		
1pc hex key	1pc wrench		

115/125mm ANGLE GRINDER AGS522

- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGS522 DP-HP501-150H		DP-HP501-150S	
Frequency:	220-240V	110-120V	
Input power:	50/60Hz	50/60Hz	
Disc diameter:	1200W	10A	
	115/125mm	4-1/2" / 5"	
No-load speed:	8-11000r/min		
weight:	2.5kgs		
size:	44x11.5x12.5cm		
carton size:	44x36x27/6pcs		
N.W./G.W.:	15/16kgs		
Accessories			
1pc auxiliary handle	1pair carbon brush		
1pc hex key	1pc wrench		

115/125mm ANGLE GRINDER AGS16

- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGS16 DP-HP501-150H		DP-HP501-150S	
Frequency:	220-240V	110-120V	
Input power:	50/60Hz	50/60Hz	
Disc diameter:	950W	8A	
	115/125mm	4-1/2" / 5"	
No-load speed:	8-11000r/min		
weight:	2.5kgs		
size:	38x10x11cm		
carton size:	39x31x23.5/6pcs		
N.W./G.W.:	13.5/15kgs		
Accessories			
1pc auxiliary handle	1pair carbon brush		
1pc hex key	1pc wrench		

180/230mm ANGLE GRINDER AGB8530

- Slim and light body for easy working
- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGB8530 SIM-HP501-150S	
Frequency:	220-240V
Input power:	50/60Hz
Disc diameter:	2400W
	180/230mm
No-load speed:	6000r/min
weight:	6kgs
size:	54x13x16cm
carton size:	57x29x19cm/2pcs
N.W./G.W.:	12.5/13KG5
Accessories	
1pc auxiliary handle	1pair carbon brush
1pc hex key	1pc wrench

180/230mm ANGLE GRINDER AGB8531

- Slim and light body for easy working
- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGB8531 SIM-HP501-150S	
Frequency:	220-240V
Input power:	50/60Hz
Disc diameter:	2600W
	180/230mm
No-load speed:	6000r/min
weight:	6kgs
size:	54x13x16cm
carton size:	57x29x19cm/2pcs
N.W./G.W.:	12.5/13KG5
Accessories	
1pc auxiliary handle	1pair carbon brush
1pc hex key	1pc wrench

150/180mm ANGLE GRINDER AGB25

- Slim and light body for easy working
- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGB25 SIM-HP501-150S	
Frequency:	220-240V
Input power:	50/60Hz
Disc diameter:	1400W
	150/180mm
No-load speed:	2000-8000rpm
weight:	2.5kgs
size:	46x10.5x14cm
carton size:	48x23x35cm/6pcs
N.W./G.W.:	15/16KG5
Accessories	
1pc auxiliary handle	1pair carbon brush
1pc hex key	1pc wrench

180/230mm ANGLE GRINDER AGB26A

- Slim and light body for easy working
- Spindle lock button
- Lock-on switch
- Soft grip on housing



AGB26A SIM-HP501-150S	
Frequency:	220-240V
Input power:	50/60Hz
Disc diameter:	2400W
	180/230mm
No-load speed:	6000r/min
weight:	5.5kgs
size:	52x12.5x16.5cm
carton size:	53x27x17.5cm/2pcs
N.W./G.W.:	11/13KG5
Accessories	
1pc auxiliary handle	1pair carbon brush
1pc hex key	1pc wrench

BELT FILE SANDER

- Variable speed control
- Exchangable working heads with function of sander and grinder
- Tool-less sanding belt exchange
- Head swivels 180° up and down
- Lightweight aluminum body
- Comes with easy-to-install belts



BELT FILE SANDER

BS506

BS506 BS-HP506-1SE


	220-240V	110-120V
Frequency:	50/60Hz	50/60Hz
Input power:	500W	LA

No-loaded speed:	5000-11000rpm
Belt speed:	300-800m/min ¹
size:	33x12x9cm
carton size:	31x17x13cm/4pcs
G.W./N.W.:	8/9KGS



Accessories

- | | |
|----------------------|--------------------|
| 1pc polishing pad | 1pc wrench |
| 1pc auxiliary handle | 1pair carbon brush |
| 1pc front cover | |



Accessories



Ordinary sponge pad 1"-7"



Square polisher pad



Honeycomb mesh polisher pad



Wave polisher



Wool polishing bnet



Beveled and step polisher pad



Sponge polishing disc



Mini polishing disc with connecting rod



Chenille coral gloves



Special car towel

Email: haowei@haoweitools.cn

http://www.haoweitools.cn

HAOWEI